Donaldson.



HIGH TEMPERATURE CARTRIDGE

ENGINEERED FOR DUST COLLECTION

- Specially designed for dry, high temperature applications
- Combination of two proprietary blends of high temperature synthetic fibers: Kevlar®* and Nomex®*
- MERV** 13 filtration efficiency rating per ASHRAE 52.2-2007
- Very good choice for metallurgical, chemical, and industrial applications
- Exceptional filtration at temperatures up to 350°F (177°C)
- Excellent abrasion resistance
- Very good chemical tolerance**


APPLICATIONS

- Metallurgical, chemical processing and industrial applications
- High temperature applications
- Stainless steel high temperature is recommended for applications requiring good chemical tolerance



High Temperature Cartridge

SEM† IMAGES 1 micron = 1/25.400 of an inch (1/1000 of a millimeter)



High Temperature Media (600x)

10 micron

 $^{^{\}ast}$ Kevlar and Nomex are registered trademarks of E.I. DuPont de Nemours & Co., Inc.

^{**} Refer to Technical Information on page 2.

[†] Scanning Electron Microscope

SPECIFICATIONS

MEDIA COMPATIBILITY DATA				
Temperature Resistance	350°F 177°C			
Moisture Absorption**	Maximum 14% @ 70°F (21°C) and 65% RH			
Chemical Tolerance***	Acids→Good Bases→Good	Oxidants→Good Solvents→Good		
Abrasion Resistance	Excellent per TAPF	PI 476 (Taber Method)		

MED	IA (CON	JPC	DSI	ΓΙΟΝ

Substrate Proprietary blend of synthetic fibers including Kevlar & Nomex

MEDIA EFFICIENCY	MEDIA	EFFICIENCY	
------------------	--------------	-------------------	--

U.S. Efficiency Rating MERV* 13 per ASHRAE 52.2-2007

CARTRIDGE CONSTRUCTION

Galvanized metal end caps
Galvanized expanded metal liner 72%
open area
Special adhesives and gaskets for
structural and sealing integrity

Options Optional stainless steel liner and end caps

CONFIGURATIONS

Collector Models	Filter Area		Pleat Height		Cartridge Dimensions	
	ft²	m²	in	mm	in	mm
Bin Vent (TBV)	205.0	19.1	2.0	50.8	12.74 x 26.0	323.6 x 660.4
Downflo® (DF)	203.0	18.9	2.0	50.8	12.74 x 26.0	323.6 x 660.4
Downflo II (DFT)	220.0	20.4	2.0	50.8	13.84 x 26.0	351.5 x 660.4
Downflo Containment System (DCS)	164.0	15.2	1.5	38.1	11.4 x 14.4 x 26.0	288.5 x 364.7 x 660.4
Downflo Oval (DFO)	164.0	15.2	1.5	38.1	11.4 x 14.4 x 26.0	288.5 x 364.7 x 660.4
Downflo® Evolution (DFE)	220.0	20.4	2.0	50.8	13.74 x 13.74 x 26.0	349.1 x 349.1 x 660.4
Downflo WorkStation (DWS)	164.0	15.2	1.5	38.1	11.4 x 14.4 x 26.0	288.5 x 364.7 x 660.4
MTD	205.0	19.1	2.0	50.8	12.74 x 26.0	323.6 x 660.4
TD Small	54.0	5.0	2.0	50.8	7.9 x 16.0	20.1 x 406.4
TD Large	205.0	19.1			12.74 x 26.0	323.6 x 660.4

^{*} The Minimum Efficiency Reporting Value (MERV) of this filter cartridge has been determined through independent laboratory testing using ASHRAE 52.2 (2007) test standards. The MERV rating was determined at a face velocity of 118 feet per minute (36.0 meters per minute) and loading up to four inches (101.6 millimeters) water gauge. Actual efficiency of any filter cartridge will vary according to the specific application parameters. Dust concentration, airflow, particle characteristics, and pulse cleaning methods all affect filtration efficiency.

Significantly improve the performance of your collector with genuine Donaldson Torit replacement filters and parts.

Important Notice

Many factors beyond the control of Donaldson can affect the use and performance of Donaldson products in a particular application, including the conditions under which the product is used. Since these factors are uniquely within the user's knowledge and control, it is essential the user evaluate the products to determine whether the product is fit for the particular purpose and suitable for the user's application. All products, product specifications, availability and data are subject to change without notice, and may vary by region or country.





^{**} Environmental conditions involving combinations of high temperature, corrosive material, and moisture can reduce media strength. Reduction in media strength may compromise cartridge integrity and performance.

^{***} A combination of chemicals may after fiber resistance to the specified performance level. Chemical attack may compromise cartridge integrity and performance.